


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Amr Salahieh et al. Confirmation No.: 1079
Patent No.: 6,887,257 Issued: May 3, 2005
Serial No.: 10/045,628 Filed: October 19, 2001
Docket No.: 1001.1506101 Customer No.: 28075
Title: Vascular embolic filter exchange devices and methods of use thereof

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR
PTO MISTAKE (37 CFR 1.322(a))**

ATTENTION: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF ELECTRONIC TRANSMISSION	
I hereby certify that this paper is being electronically transmitted to the United States Patent and Trademark Office on the date shown below.	
JoAnn Lindman	
Type or print name of person signing certification	
 Signature	10-26-06 Date

Dear Sir:

Attached is Form PTO/SB/44.


The exact page and line number where the error is shown correctly in the originally filed amendment on August 30, 2004, is on page 15, on the first line of the last paragraph.

Please send the Certificate to Customer No.: **28075**.

Respectfully submitted,

Date:

Oct 26, 2006



Glenn M. Seager, Reg. No. 36,926
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, Minnesota 55403-2420
Telephone: (612) 677-9050
Facsimile: (612) 359-9349

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. 6887257 B2

DATED May 3, 2005

INVENTOR(S) Amr Salahieh et al.

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

Claim 25, line 20, delete "position" and add "portion"

MAILING ADDRESS OF SENDER:
CROMPTON, SEAGER & TUFTE LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420

PATENT NO. 6,887,257

No. of additional copies

 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.